

Art Unit: 2624

### **EXAMINER'S AMENDMENT**

[1] An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.

To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

[2] Authorization for this examiner's amendment was given in a telephone interview with Mr. Richard T. Lyon (Reg. No. 37,385) on December 16, 2008.

[3] The application has been amended as follows:

**In claim 30, line 1: Please replace "computer-readable medium" with "computer storage medium".**

### **REASONS FOR ALLOWANCE**

[4] The following is an examiner's statement of reasons for allowance: The instant invention relates to exposure correction.

[5] Prior art was found for and applied in the previous office actions. Applicant's arguments regarding claim 5 and 24 in the appeal brief is sufficient to overcome the previous rejections. Features of claim 5 and 24 are not found or suggested in the prior art.

Art Unit: 2624

[6] Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

[7] Claims 1-4, 6-30 are allowed.

### ***Contact Information***

[8] Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mr. Sath V. Perungavoor whose telephone number is (571) 272-7455. The examiner can normally be reached on Monday to Friday from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Matthew C. Bella whose telephone number is (571) 272-7778, can be reached on Monday to Friday from 9:00am to 5:00pm. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Dated: December 18, 2008

/Matthew C Bella/  
Supervisory Patent Examiner,  
Art Unit 2624

Application/Control Number: 10/796,880

Page 4

Art Unit: 2624

---

Sath V. Perungavoor  
Telephone: (571) 272-7455